



Everglade Spring Pro

A 1.75 inch pile, polyethylene monofilament with thatch construction. Designed specifically for landscape application to enhance recovery.

Recommended Use: Moderate to Heavy Traffic

Main Application: Landscape

Colors: Field Green/Lime Green

LEAD FREE PRODUCTS:

- All of our products undergo rigorous stringent testing to ensure safety and non-toxicity.
- Our products contain no detectable traces of lead or other RCRA hazardous waste heavy metals.



Main Advantage

- Designed to truly replicate grass
- A 1.75 inch blade height helps to achieve a natural appearance
- Uniquely formulated polyurethane coated backing provides greater seam strength and durability
- Not water soluble
- Heat and frost resistant
- UV stabilized
- No harmful environmental effects
- Non-flammable, ant-acid yarn resistant to chemical attack

LEAD
FREE
PRODUCT

Yarn Characteristics

Type: Monofilament PE with Thatch
 Composition/Structure: Polyethylene
 Denier: 9,000/5,000
 Colors: Field Green/Lime Green

Manufactured Rolls

Width: 15 feet
 Length: 100 feet
 Shipping Weight: 1155 pounds*
 Roll Diameter: 24 inches
 Total Product Weight: Approximately 102 ounces per square yard

Additional Info

Recommended Maintenance:
 Rinse and groom as needed to limit matting

Drainage Rate:
 30+ inches of rain per hour per square yard

*Approximate Weight

Turf Characteristics

Pile/Face Weight: Approx. 75 ounces
 Pile Height: Approx. 1.75 inches
 Machine Gauge: 3/8 inch
 Thatch Color: Brown

Particulate Infill

Type: Quality Infill
 Weight: 1.5-2.5 pounds per square foot*
 Height: Approximately .5 inch to .75 inch
 Colors: Green, Black or Natural

For IPEMA Certification, infill must be 2 pounds of Durafill per square foot.

Backing Characteristics

Primary Backing 1
 Composition/Structure: K29 Dual Layered Non-Expansive Backing
 Weight: 7.3 ounces per square yard*
 Finish Coating: Polyurethane 20 ounces per square yard*
 Tuft Bind: 10+ pounds



To verify product certification, visit www.ipema.org

EXCLUSIVELY
DISTRIBUTED
BY SGW

